

350

Issue Date: 01/31/2020

Safety Data Sheet TriClean™ 310

# 1. Product and Company Identification

1.1 Product Name: TriClean 310

1.2 Intended Product Use: Reverse Osmosis Membrane Cleaner

1.3 Details of the SDS Supplier

XELERA INC.

531 Brentwood Rd., CMB 106, Denver NC 28037 USA

Phone: +1 540-389-5232 Fax: +1 866-454-4356

1.4 Emergency Telephone Numbers CHEMTEL INC

+1 800-255-3924 (USA)

+1 813-248-0585 (International)

## 2. Hazards Identification

# 2.1 Classification of the Substance or Mixture:

Acute Toxicity (Oral) Category 5, Skin Corrosive Category 2, Eye Damage/Irritation Category 1

## 2.2 GHS Label Elements and Precautionary Statements

Signal Word:

Pictogram(s):

Danger



Hazard Code(s):	Hazard Statement(s):
H303	May be harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
Precautionary Code(s):	Precautionary Statement(s):
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P332 + P313	If skin irritation occurs: Get medical advice/attention.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists. Get medical advice/attention.

P337 + P313

### 2.3 Hazards not covered by GHS

None.

#### 3. Composition/Information on Ingredients

# 3.1 Substances

Component	CAS Number	Concentration
Organic Acid	77-92-9	30-35 wt%
Chelating Agent	10124-56-8	5 wt%
Sodium Benzoate	532-21-1	< 0.1 wt%
Water	7732-18-5	60-65 wt%

## 4. First Aid

#### 4.1 Description of Aid Measures

General Advice:

Move effected personnel out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

If Inhaled:

If breathed in. move person into fresh air. If not breathing, give artificial respiration. Consult a physician IMMEDIATELY.

In Case of Skin Contact:

Wash off with soap and plenty of water. Consult a physician in the event of persistent irritation.

In Case of Eye Contact:

Rinse thoroughly with plenty of water for at least 15 minutes. Consult a physician IMMEDIATELY.

If Swallowed:

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most Important Symptoms and Effects, Both Acute and Delayed

The most important known acute symptoms and effects are described in sections 2 of this safety sheet. Due to the corrosive nature of some materials contained within this product ingestion may lead to ulceration or perforation of the digestive tract.

# 4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed

No additional data available.

# 5. Fire Fighting Measures

## 5.1 Suitable Extinguishing Media

Use water spray, alcohol resistant foam, dry chemical, or carbon dioxide.

# 5.2 Special Hazards Arising From the Substance or Mixture

This product is a non-flammable liquid and will not normally burn. Dried residues resulting from intense heat and evaporation may burn. Thermal decomposition and vaporization may produce toxic gases/vapors/fumes of carbon oxides and oxides of phosphorous.

## 5.3 Advice for Firefighters

Wear self-contained breathing apparatus and full protective clothing.

## 5.4 Further Information

No additional information.

# 6. Accidental Release Measures

# 6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Use personal projective equipment described in section 8 of this safety sheet. Avoid breathing vapors. Ensure adequate ventilation when mixing cleaning solutions.

## 6.2 Environmental Precautions

If this product is released into the environment, take immediate steps to stop and contain the release. This material is soluble in water. Take adequate steps to avoid contamination of waterways. Notify downstream users of possible contamination should a release occur and notify local, state, and federal authorities as required.

# 6.3 Methods and Materials for Containment and Cleaning Up

Absorb in vermiculite, dry sand, or earth. Keep recovered material in a suitable closed container for disposal.

# 7. Handling and Storage

## 7.1 Precautions for Safe Handling

Avoid spillage or contact with skin and eyes. Provide adequate ventilation to avoid the formation and inhalation of dust. Use personal protective equipment listed in section 8 of this safety sheet when mixing or handling this material.

## 7.2 Conditions for Safe Storage

Store in a dry and cool place, keep containers tightly closed. Do not use containers made of carbon or mild stainless steels. Protect against physical damage to containers. The recommended storage temperature for this material is 10-30°C (50-86°F).

## 8. Exposure Controls/Personal Protection

## 8.1 Control Parameters

This product contains no substances with occupational exposure limit values.

## 8.2 Appropriate Engineering Controls

Handle in accordance with good industrial hygiene and safety practice. Personnel handling this material should use appropriate safety goggles, clothing, and gloves. Wash hands before breaks and at the end of workday. Provide eye wash station, safety shower, as well as sufficient ventilation to prevent dust formation.

## 8.3 Personal Protective Equipment

## **Eye/Face Protection**

When handling this product use safety glasses with side-shields conforming, tested, and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# Skin Protection

Wear appropriate protective clothing to prevent exposure and skin contact. When handling this product use gloves made from nitrile rubber, neoprene, butyl rubber, viton, polyethylene, or PVC. Inspect gloves prior to use and use proper glove removal techniques to avoid skin contact. Work boots are appropriate for normal handling. Impervious apron, gloves, or gauntlets should be used when mixing cleaning solutions. When mixing or in the case of spills rubber overshoes are recommended. Properly discard contaminated gloves after use. Wash and dry hands.

## **Respiratory Protection**

Reparatory protection is not typically required under normal conditions. Where vapor and misting may occur use respirators and components tested and approved under appropriate government standards such as NIOSH (US). When vapor exposure is expected or encountered type R95, P95 (US) or type P1 (EU EN 143) particle respirators are suggested.

9. Ph	ysical a	nd Chemical Properties		
9.1	Infor	Information on Basic Physical and Chemical Properties		
	(a)	Physical State:	Liquid	
	(b)	Appearance:	Clear Liquid	
	(C)	Odor:	Odorless	
	(d)	Odor Threshold:	Not Applicable	
	(e)	pH:	pH 2-3	
	(f)	Melting/Freezing Point:	O° 0	
	(g)	Initial Boiling Point and Boiling Range:	100 °C Water	
	(h)	Flash Point:	Non Combustible	
	(i)	Evaporation Rate:	< 1.0 Water	
	(j)	Flammability:	Not Applicable	
	(k)	Upper/Lower Flammability or Explosive Limits:	Not Applicable	
	(I)	Vapor Pressure:	Similar to Water	
	(m)	Vapor Density:	Similar to Water	
	(n)	Relative Density:	Similar to Water	
	(0)	Water Solubility:	Completely Soluble	

- (p) Partition Coefficient: n-Octanol/Water
- (q) Auto-Ignition Temperature:
- (r) Decomposition Temperature:
- (s) Viscosity:

# 10. Stability and Reactivity

#### 10.1 Reactivity

Reactive with oxidizing agents. This product contains an organic acid and may react with alkaline and caustic materials.

No Data Available

No Data Available

No Data Available

Similar to Water

#### 10.2 Chemical Stability

This product is stable under conditions when following recommended use.

#### 10.3 Possibility of Hazardous Reactions

No data available.

#### 10.4 Conditions to Avoid

Avoid contact with strong oxidizing agents as well as strong bases. Avoid high temperatures and moisture to protect the product quality.

#### 10.5 Incompatible Materials

Strong oxidizers, strong bases, and metallic nitrates. Product contains an organic acid and can be mildly corrosive to metals with prolonged exposure.

#### 10.6 Hazardous Decomposition Products

Thermal decomposition and vaporization may produce toxic gases/vapors/fumes of carbon oxides and oxides of phosphorous.

#### **11. Toxicological Information**

## 11.1 Likely Routes of Exposure

Ingestion, or eye contact.

# 11.2 Acute Toxicity

This product is harmful if ingested potentially causing chemical burns, ulceration or perforation of the digestive tract, stomach pain, vomiting, and discomfort if swallowed. Testing of individual chemical components contained in this product have founds its ingredients to exhibit acute toxicity in the following ranges under OECD Test Guidelines 402 and 403.

LD <sub>50</sub> (Oral) - Rat:	3000-5000 mg/kg
LD50 (Inhalation) - Rat:	> 3.60 mg/L 4 Hour Exposure

#### Skin Corrosion/Irritation

Contact between skin and this product may cause skin irritation depending on the concentration of the solution and the duration of exposure. Testing of individual chemical components contained in this product have founds its

ingredients to cause mild skin irritation.

#### Serious Eye Damage/Irritation

Contact between the eyes and this product may cause permanent damage or irritation depending on the concentration and duration of exposure. Testing of individual chemical components contained in this product have founds its ingredients to cause eye damage with acute exposure.

#### Respiratory or Skin Sensitization

Prolonged or repeated exposure may cause allergic reactions in certain individuals. Direct inhalation of vapors may cause irritation depending on the concentration and duration of exposure.

#### 11.3 Germ Cell Mutagenicity

No data available.

# 11.4 Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by IARC, ACGIH, NTP, or OSHA.

# 11.5 Reproductive Toxicity

No data available.

11.6 Specific Target Organ Toxicity - Single Exposure

No data available.

11.7 Specific Target Organ Toxicity - Repeated Exposure

No data available.

11.8 Aspiration Hazard

No data available.

## 12. Ecological Information

# 12.1 Toxicity

This product may be harmful to aquatic life if released in sufficient concentrations. The toxicity of this product is primarily associated with pH when dissolved in water. Testing of individual chemical components contained in this product have founds its ingredients to exhibit toxicity towards aquatic organisms in the following ranges under OECD Test Guidelines 201, 202, and 203.

Toxicity to Fish

LC50 Leucius Idus Melantous (Orfe):	440-760 mg/L	(96 hours)
LC₅₀ Oncorhynchus Mykiss (Rainbow Trout):	100-1000 mg/L	(96 hours)

	Toxicity to Invertebrates			
	EC <sub>50</sub> Daphina Magna (Water Flea):	1500 mg/L	(24 hours)	
	EC <sub>50</sub> Daphina Magna (Water Flea):	485 mg/L	(48 hours)	
	Toxicity to Algae			
	EC50 Desmodesmus Subspicatus (Green Algae):	100 mg/L	(72 hours)	
	Growth Inhibition			
12.2	Persistence and Degradability			
	No data available.			
12.3	Bioaccumulative Potential			
	No data available.			
12.4	Mobility in Soil			
	No data available.			
12.5	Results of PBT anb vPvB Assessment			
	PBT/vPvB assessment not available as chemical safety	assessment not	required/not conducted	
12.6	Other Adverse Effects			
	No data available.			

## 13. Disposal Considerations

# 13.1 Waste Disposal

Spent Cleaning Solution

Spent cleaning solutions should be disposed of in accordance with local, state, and federal regulations governing individual users or sites.

**Unused Product** 

Unused product should be disposed of at an approved waste treatment/disposal facility in accordance with applicable local, state, and federal regulations. Do not dispose of unused product through normal garbage or sewer systems.

Contaminated Containers

Treat contaminated containers in the same manner as unused product for the purpose of disposal.

14. Transportation Information	
	AND

# 14.1 DOT (US Department of Transportation)

UN Number: 3265 Hazard Class: 8 Packing Group: III
Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (mixture of organic acid and chelating
agent)

Marine Pollutant: No Poison Inhalation Hazard: No

14.2	IMDG (International Maritime Dangerous Goods)			
	UN Number: 3265	Hazard Class: 8	Packing Group: III	
	EMS-No: F-A			
	Proper Shipping Name:	CORROSIVE LIQUID, ACIDIC, ORGANIC N.O.S. (mixture of an organic acid and chelating agent)		
	Marine Pollutant: No			
14.3	IATA (International Air Transportation Association)			

UN Number: 3265	Hazard Class: 8	Packing Group: III	
Proper Shipping Name:	CORROSIVE LIQUID,	ACIDIC, ORGANIC N.O.S. (mixture of	an
	organic acid and chelatir	ng agent)	

# 15. Regulatory Information

## 15.1 US Federal Regulations

# SARA 302 Components

This product does not contain chemical components subject to the reporting requirements of SARA Title III, Section 302.

# SARA 313 Components

This product does not contain chemical components that exceed the threshold reporting limits of SARA Title III, Section 313.

### SARA 311/312 Hazard Category

Acute health hazard.

### TSCA (US Toxic Substances Control Act)

All components of this product are listed on the TSCA inventory.

# 15.2 US State Regulations

California Proposition 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Massachusetts Right to Know

Sodium Hexametaphosphate

CAS No: 10124-56-8

New Jersey Right to Know	
Sodium Hexametaphosphate	CAS No: 10124-56-8
Citric Acid	CAS No: 77-92-9
Sodium Benzoate	CAS No: 532-32-1
Water	CAS No: 7732-18-5
Pennsylvania Right to Know	
Sodium Hexametaphosphate	CAS No: 10124-56-8
Citric Acid	CAS No: 77-92-9
Sodium Benzoate	CAS No: 532-32-1

# 16. Other Information

# 16.1 Hazardous Material Information System (HMIS III)



# 16.2 National Fire Protection Association (NFPA Standard 704)



Health	[2]: Moderate Hazard
Fire	[1]: Will Not Burn
Reactivity	[0]: Normally Stable
Special	Corrosive

16.3 Revision Information Product:

TriClean 310 Revision: 2

Issue Date: 10-DEC-2020

# 16.4 Further Information

The information contained in this sheet is believed to be correct but does not purport to be all inclusive and should be used only as a guide. The information in this document is based on the present state of knowledge and relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. This information is, to the best of XELERA, Inc.'s knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee express or implied is made with respect to such information. Users should make their own investigations to determine the suitability of the information for their particular purposes.